INDEX OF AUTHORS AND PAPERS TO VOLUME 158

Agarwal, S.K., see A.G. Vedeshwar 158 (1989) 385
Akimitsu, J., see F. Izumi 158 (1989) 440
Alexandrov, A.S., Polaron theory of high-T_c superconductors 158 (1989) 337
Altenburg, H., see J. Hauck 158 (1989) 197
Amelinckx, S., see H.W. Zandbergen 158 (1989) 155
Amoretti, G., see G. Calestani 158 (1989) 217
Andreetti, G.D., see G. Calestani 158 (1989) 217
Antognazza, L., see J.-M. Triscone 158 (1989) 293
Arko, A.J., see B.W. Veal 158 (1989) 276
Asano, H., see F. Izumi 158 (1989) 433
Asano, H., see F. Izumi 158 (1989) 440

Balagurov, A.M., G.M. Mironova, A. Pajączkowska and H. Szymczak, Neutron diffraction study of the superconductor $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ at $x=0.06$ and 0.10, $\delta=0$ 158 (1989) 265
Bando, Y., see Z. Hiroi 158 (1989) 269
Barbier, J., see Y.P. Lin 158 (1989) 241
Barczynski, R., see B. Kusz 158 (1989) 497
Barry, J.C., see B.L. Ramakrishna 158 (1989) 203
Bartlett, R., see B.W. Veal 158 (1989) 276
Baskaran, R., Y. Hariharan, M.P. Janawadkar and T.S. Radhakrishnan, Proximity effect controlled superconductivity in $YBa_2Cu_3O_{7-x}$ 158 (1989) 406
Bill, H., see D. Shaltiel 158 (1989) 424
Birrer, P., F.N. Gygax, B. Hettich, B. Hitti, E. Lippelt, H. Maletta, A. Schenck and M. Weber, Magnetic penetration depth in $Bi_2(Sr, Ca)_2CuO_{8-\delta}$ 158 (1989) 230
Bischof, B., see J. Hauck 158 (1989) 197
Bist, H.D., see A.G. Vedeshwar 158 (1989) 385
Bjørnholm, T., see J.T. Markert 158 (1989) 178
Blander, M., see M. Tetenbaum 158 (1989) 377
Blinovskov, Ya.N., see I.A. Leonidov 158 (1989) 287
Bose, A., see B.L. Ramakrishna 158 (1989) 203
Bourdillon, A.J., see S.X. Dou 158 (1989) 93
Bourgault, D., C. Martin, C. Michel, M. Hervieu and B. Raveau, Thallium mixed valence-Tl(I)/Tl(III) in "2212" thallium cuprates: the oxides $Tl^{III}_{2-(x/3)}Tl^{I}_{1-x}Ba_{1+x}LnCu_2O_8$ 158 (1989) 511
Brunner, O., see J.-M. Triscone 158 (1989) 293
Buckley, R.G., see J.L. Tallon 158 (1989) 247
Buluggiu, E., see G. Calestani 158 (1989) 217
Burlachkov, L.I. and L.S. Levitov, Critical phenomena in quasiperiodic superconducting layered structures 158 (1989) 88

Calestani, G., C. Rizzoli, G.D. Andreetti, E. Buluggiu, D.C. Giori, A. Valenti, A. Vera and G. Amoretti, Composition effects on the formation and superconducting character of $c \approx 31$ Å and $c \approx 37$ Å phases in the Bi–Sr–Ca–Cu–O and Bi–Pb–Sr–Ca–Cu–O systems. X-ray and ESR analysis 158 (1989) 217
Campuzano, J.C., see B.W. Veal 158 (1989) 276
Cao, L.Z., see J.S. Xia 158 (1989) 477
Chaillout, C., S.W. Cheong, Z. Fisk, M.S. Lehmann, M. Marezio, B. Morosin and J.E. Schirber, The crystal structure of superconducting $La_2CuO_{4.032}$ by neutron diffraction 158 (1989) 183
Chand, P., see A.G. Vedeshwar 158 (1989) 385
Chatterjee, D., see D. Majumdar 158 (1989) 413
Chatterjee, R., T.R.S. Prasanna, J. Moodera and R.C. O'Handley, Superconductivity through percolation in $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 158 (1989) 485
Chen, C.H., see H.E. Horng 158 (1989) 480
Chen, J., see J.S. Xia 158 (1989) 477
Chen, Z.Y., see J.S. Xia 158 (1989) 477
Cheong, S.-W., see M.F. Hundley 158 (1989) 102
Cheong, S.-W., J.D. Thompson and Z. Fisk, Properties of La_2CuO_4 and related compounds 158 (1989) 109
Cheong, S.W., see C. Chaillout 158 (1989) 183
Ching, W.Y., see K.W. Wong 158 (1989) 1
Ching, W.Y., see K.W. Wong 158 (1989) 15
Choudhury, P., see A.N. Das 158 (1989) 311
Chu, C.W., see Y.Y. Xue 158 (1989) 211
Claus, H., see B.W. Veal 158 (1989) 276
Cooper, E.I., see A. Gupta 158 (1989) 225
Czech, B., see M. Tetenbaum 158 (1989) 377

Dąbkowski, A., see G. Jung 158 (1989) 419
Dabrowski, B., see J.F. Zasadzinski 158 (1989) 519
Das, A.N., B. Ghosh and P. Choudhury, Superconductivity, antiferromagnetism, Hall coefficient and the thermoelectric power for a single-band Hubbard model 158 (1989) 311
Decroux, M., see J.-M. Triscone 158 (1989) 293
De Groot, P.A.J., see S.B. Ota 158 (1989) 298
De Leeuw, D.M., C.A.H.A. Mutsaers, R.A. Steeman, E. Frikkee and H.W. Zandbergen, Crystal structure and electrical conductivity of $YBa_4Cu_3O_{8.5+\delta}$ ($\delta = 0.0$–0.5) 158 (1989) 391
Dong, C., see J.H. Wang 158 (1989) 507
Dou, S.X., H.K. Liu, A.J. Bourdillon, N.X. Tan and C.C. Sorrell, Diffusion grown superconducting thick films of Bi–(Pb)–Sr–Ca–Cu–O with zero resistance at 103 K 158 (1989) 93
Dou, S.X., H.K. Liu, N.X. Tan, Y.J. Sheng and W.K. Jones, Effect of Sb substitution on T_c in Bi–Pb–Sr–Ca–Cu–O systems 158 (1989) 97
Driver, R., see K.-H. Müller 158 (1989) 69
Driver, R., see K.-H. Müller 158 (1989) 366
Dunlap, B.D., J.D. Jorgensen, C. Segre, A.E. Dwight, J.L. Matykiewicz, H. Lee, W. Peng and C.W. Kimball, Structural behavior and chemical order of Fe in $YBa_2(Cu_{1-x}Fe_x)_3O_{7+\delta}$ 158 (1989) 397
Dwight, A.E., see B.D. Dunlap 158 (1989) 397

Eagles, D.M. and N. Savvides, A two-band model applied to resistivity data on a superconducting ceramic specimen of $YBa_2Cu_3O_{7-x}$ 158 (1989) 258

Early, E.A., see J.T. Markert 158 (1989) 178
Eckhardt, H., see B.L. Ramakrishna 158 (1989) 203
Eick, H.A., see E. Hodorowicz 158 (1989) 127

Fei, X., see J.H. Wang 158 (1989) 507
Fischer, Ø., see J.-M. Triscone 158 (1989) 293
Fischer, P., see D. Shaltiel 158 (1989) 424
Fischer, P., see K. Remschnig 158 (1989) 458
Fisk, Z., see M.F. Hundley 158 (1989) 102
Fisk, Z., see S.-W. Cheong 158 (1989) 109
Fisk, Z., see C. Chaillout 158 (1989) 183
Flyatau, E.E., see I.A. Leonidov 158 (1989) 287
François, M., see D. Shaltiel 158 (1989) 424
Freiburg, C., see J. Hauck 158 (1989) 197
Frikkee, E., see D.M. de Leeuw 158 (1989) 391
Frommer, M.H., X-ray photoelectron study of the non-equivalent oxygen lattice sites in Y–Ba–Cu oxides 158 (1989) 281
Fujimori, A., see F. Izumi 158 (1989) 440

Ganapathi, L., see R. Nagarajan 158 (1989) 453
Gao, L., see Y.Y. Xue 158 (1989) 211
Ghamaty, S., see J.T. Markert 158 (1989) 178
Ghosh, B., see A.N. Das 158 (1989) 311
Gierłowski, P., see G. Jung 158 (1989) 419
Gilberd, P.W., see J.L. Tallon 158 (1989) 247
Ginsberg, D.M., see S.E. Stupp 158 (1989) 299
Giori, D.C., see G. Calestani 158 (1989) 217
Gómez, A., see R. Herrera 158 (1989) 490
Goodman, P., D.G. Jensen and T.J. White, Coexisting phases in the Pb–Sr–Ca–Y–Cu–O HT superconducting system 158 (1989) 173
Gopalakrishnan, J., see C.C. Torardi 158 (1989) 465
Gratz, E., see K. Remschnig 158 (1989) 458
Greedan, J.E., see Y.P. Lin 158 (1989) 241
Gu, C., see B.W. Veal 158 (1989) 276
Gupta, A. and E.I. Cooper, Superconducting Bi–Si–Ca–Cu–O films prepared from metal trifluoroacetate precursors 158 (1989) 225
Gupta, H.C., Phonons in high-T_c $Ba_{0.6}K_{0.4}BiO_3$ 158 (1989) 153
Gygax, F.N., see P. Birrer 158 (1989) 230

Hagemann, H., see D. Shaltiel 158 (1989) 424
Hariharan, Y., see R. Baskaran 158 (1989) 406
Hauck, J., B. Bischof, C. Freiburg, U. Köbler, W. Reichert, M. Last, S. Ipta and H. Altenburg, Phase relations and physical properties of $La_4Ba_ySr_{1-y}Cu_5O_x$ solid solution 158 (1989) 197
Hentsch, F., N. Winzek, M. Mehring, Hj. Mattausch and A. Simon, NMR shifts and relaxation of ^{205}Tl in the $Tl_2Ba_2CaCu_2O_8$ (2212) high-T_c-superconductor 158 (1989) 137
Hermann, A.M., see J.H. Wang 158 (1989) 507
Herrera, R., J. Reyes-Gasga, P. Schabes-Retchkiman, A. Gómez and M.J. Yacamán, On the long period superstructure of the superconducting phase $Bi_2Sr_2CaCu_2O_{8+x}$ 158 (1989) 490

Hervieu, M., see D. Bourgault 158 (1989) 511
Hettich, B., see P. Birrer 158 (1989) 230
Hidaka, Y., see Y. Tajima 158 (1989) 237
Hikita, M., see Y. Tajima 158 (1989) 237
Hinks, D.G., see J.F. Zasadzinski 158 (1989) 519
Hiraga, K., see M. Kikuchi 158 (1989) 79
Hiraga, K., see S. Nakajima 158 (1989) 471
Hiroi, Z., M. Takano, Y. Bando, Y. Takeda and R. Kanno, Two-phase microstructures in $YBa_2Cu_3O_y$ observed by transmission electron microscopy 158 (1989) 269
Hirsch, J.E., Bond-charge repulsion and hole superconductivity 158 (1989) 326
Hitti, B., see P. Birrer 158 (1989) 230
Ho, J.C., see Y.Y. Xue 158 (1989) 211
Hodorowicz, E., S.A. Hodorowicz and H.A. Eick, A preparatory and phase study of the Tm–Ba–Cu–O system 158 (1989) 127
Hodorowicz, S.A., see E. Hodorowicz 158 (1989) 127
Hor, P.H., see Y.Y. Xue 158 (1989) 211
Horng, H.E., J.C. Jao, M.H. Hsieh, H.C. Yang, B.C. Yao and C.H. Chen, Study of superconducting properties of oxygen deficient $GdBa_2Cu_3O_{7-y}$ by a heating cycle technique 158 (1989) 480
Hsieh, M.H., see H.E. Horng 158 (1989) 480
Huang, T.C., E. Moran, A.I. Nazzal and J.B. Torrance, Synthesis and X-ray characterization of superconducting and related $Ln_{2-x}Ce_xCuO_{4-y}$ (Ln=Nd and Gd) compounds 158 (1989) 148
Huang, Z.J., see Y.Y. Xue 158 (1989) 211
Hulliger, F., see A. Schillinger 158 (1989) 524
Hundley, M.F., J.D. Thompson, S.-W. Cheong, Z. Fisk and S.B. Oseroff, Specific heat and anisotropic magnetic susceptibility of Pr_2CuO_4, Nd_2CuO_4 and Sm_2CuO_4 crystals 158 (1989) 102

Igarashi, H., see T. Manako 158 (1989) 143
Ipta, S., see J. Hauck 158 (1989) 197
Iqbal, Z., see B.L. Ramakrishna 158 (1989) 203
Ishikawa, M., see Y. Nakazawa 158 (1989) 381
Iwasaki, H., see M. Kikuchi 158 (1989) 79
Iwasaki, H., see S. Nakajima 158 (1989) 471
Izumi, F., Y. Matsui, H. Takagi, S. Uchida, Y. Tokura and H. Asano, Neutron and electron diffraction study of the electron-doped superconductor $Nd_{1.845}Ce_{0.155}CuO_{4-y}$ 158 (1989) 433
Izumi, F., E. Takayama-Muromachi, A. Fujimori, T. Kamiyama, H. Asano, J. Akimitsu and H. Sawa, Metal ordering and oxygen displacements in $(Nd, Sr, Ce)_2CuO_{4-y}$ 158 (1989) 440

Janawadkar, M.P., see R. Baskaran 158 (1989) 406
Jao, J.C., see H.E. Horng 158 (1989) 480
Jayaram, B., see S.B. Ota 158 (1989) 298
Jensen, D.G., see P. Goodman 158 (1989) 173
Jin, R., F. Shi, Q. Ran, N. Shi, Z. Shi and S. Zhou, The specific heat of the single-phase $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10+y}$ superconductor 158 (1989) 255
Jones, W.K., see S.X. Dou 158 (1989) 97
Jorgensen, J.D., see B.D. Dunlap 158 (1989) 397
Jung, D., see J. Ren 158 (1989) 501
Jung, G., A. Dąbkowski, P. Gierłowski and W. Kula, Improved microstructure of superconducting Y–Ba–Cu–O films deposited on $LaAlO_3$ substrates 158 (1989) 419

Kadowaki, K., see H.W. Zandbergen 158 (1989) 155
Kamiyama, T., see F. Izumi 158 (1989) 440
Kang, D.B., see M.-H. Whangbo 158 (1989) 371
Kanno, R., see Z. Hiroi 158 (1989) 269
Karkut, M.G., see J.-M. Triscone 158 (1989) 293
Kato, K., see E. Takayama-Muromachi 158 (1989) 449
Kikuchi, M., S. Nakajima, Y. Syono, K. Hiraga, T. Oku, D. Shindo, N. Kobayashi, H. Iwasaki and Y. Muto, Preparation of the bulk superconductor $Tl_2Ba_2Ca_3Cu_4O_{12}$ 158 (1989) 79
Kikuchi, M., see S. Nakajima 158 (1989) 471
Kimball, C.W., see B.D. Dunlap 158 (1989) 397
Kobayashi, M., see E. Takayama-Muromachi 158 (1989) 449
Kobayashi, N., see M. Kikuchi 158 (1989) 79
Kobayashi, N., see S. Nakajima 158 (1989) 471
Köbler, U., see J. Hauck 158 (1989) 197
Kozhevnikov, V.L., see I.A. Leonidov 158 (1989) 287
Kresin, V.Z. and S.A. Wolf, A method for evaluating the electron–phonon coupling in cuprates from heat capacity measurements 158 (1989) 76
Kubo, Y., see I. Takeuchi 158 (1989) 83
Kubo, Y., see T. Manako 158 (1989) 143
Kula, W., see G. Jung 158 (1989) 419
Kusz, B., R. Barczynski and J. Pastor, Internal friction in $ErBa_2Cu_3O_x$ superconductors 158 (1989) 497

Lanchester, P.C., see S.B. Ota 158 (1989) 298
Last, M., see J. Hauck 158 (1989) 197
Lee, B.W., see J.T. Markert 158 (1989) 178
Lee, H., see B.D. Dunlap 158 (1989) 397
Lee, M.J.G., see Y.P. Lin 158 (1989) 241
Lehmann, M.S., see C. Chaillout 158 (1989) 183
Leonidov, I.A., Ya.N. Blinovskov, E.E. Flyatau, P.Ya. Novak and V.L. Kozhevnikov, Transport properties and defect structure of $YBa_2Cu_3O_{7-\delta}$ 158 (1989) 287
Le Page, Y., see J. Ren 158 (1989) 501
Levitov, L.S., see L.I. Burlachkov 158 (1989) 88
Lin, Y.P., J. Barbier, J.E. Greedan, Z. Wang, M.J.G. Lee and B.W. Statt, Electron diffraction investigation of Pb-stabilised Bi–Sr–Ca–Cu–O high-T_c superconductor 158 (1989) 241
Lippelt, E., see P. Birrer 158 (1989) 230
List, R.S., see B.W. Veal 158 (1989) 276
Liu, H.K., see S.X. Dou 158 (1989) 93
Liu, H.K., see S.X. Dou 158 (1989) 97
Liu, J.Z., see B.W. Veal 158 (1989) 276
Liu, R., see B.W. Veal 158 (1989) 276

MacFarlane, J.C., see K.-H. Müller 158 (1989) 69
Macfarlane, J.C., see K.-H. Müller 158 (1989) 366
Machida, K., Magnetism in La_2CuO_4 based compounds 158 (1989) 192
Maekawa, S., see T. Tohyama 158 (1989) 525
Majumdar, D., D. Chatterjee and G. Paz-Pujalt, XPS studies on passivated and degraded $YBa_2Cu_3O_{7-x}$ films 158 (1989) 413

Maletta, H., see P. Birrer 158 (1989) 230
Manako, T., see I. Takeuchi 158 (1989) 83
Manako, T., Y. Shimakawa, Y. Kubo, T. Satoh and H. Igarashi, Superconductivity of $TlBa_{1+x}La_{1-x}CuO_5$ with 1201 structure 158 (1989) 143
Maple, M.B., see J.T. Markert 158 (1989) 178
Marezio, M., see C. Chaillout 158 (1989) 183
Markert, J.T., E.A. Early, T. Bjørnholm, S. Ghamaty, B.W. Lee, J.J. Neumeier, R.D. Price, C.L. Seaman and M.B. Maple, Two new electron cuprate superconductors, $Pr_{1.85}Th_{0.15}CuO_{4-y}$ and $Eu_{1.85}Ce_{0.15}CuO_{4-y}$, and properties of $Nd_{2-x}Ce_xCuO_{4-y}$ 158 (1989) 178
Martin, C., see D. Bourgault 158 (1989) 511
Matsui, Y., see F. Izumi 158 (1989) 433
Mattausch, Hj., see F. Hentsch 158 (1989) 137
Matykiewicz, J.L., see B.D. Dunlap 158 (1989) 397
McKay, J.M., see D.A. Nepela 158 (1989) 65
McKinnon, W.R., see J. Ren 158 (1989) 501
Mehring, M., see F. Hentsch 158 (1989) 137
Meng, R.L., see Y.Y. Xue 158 (1989) 211
Menken, M.J.V., see H.W. Zandbergen 158 (1989) 155
Menovsky, A.A., see H.W. Zandbergen 158 (1989) 155
Michel, C., see D. Bourgault 158 (1989) 511
Mironova, G.M., see A.M. Balagurov 158 (1989) 265
Mitchell, A.W., see J.F. Zasadzinski 158 (1989) 519
Mohan Ram, R.A., see R. Nagarajan 158 (1989) 453
Moodera, J., see R. Chatterjee 158 (1989) 485
Moorthy, V.N., see A.G. Vedeshwar 158 (1989) 385
Moran, E., see T.C. Huang 158 (1989) 148
Morosin, B., see C. Chaillout 158 (1989) 183
Müller, H., see K. Remschnig 158 (1989) 458
Müller, K.-H., J.C. MacFarlane and R. Driver, Josephson vortices and flux penetration in high temperature superconductors 158 (1989) 69
Müller, K.-H., J.C. Macfarlane and R. Driver, Nonlinear magnetic flux response in high temperature superconductors 158 (1989) 366
Muto, Y., see M. Kikuchi 158 (1989) 79
Muto, Y., see S. Nakajima 158 (1989) 471
Mutsaers, C.A.H.A., see D.M. de Leeuw 158 (1989) 391

Nagarajan, R., R. Vijayaraghavan, L. Ganapathi, R.A. Mohan Ram and C.N.R. Rao, Evidence for two distinct orthorhombic structures associated with different T_c regimes in $LnBa_2Cu_3O_{7-\delta}$ (Ln=Nd, Eu, Gd and Dy): a study of the dependence of superconductivity on oxygen stoichiometry 158 (1989) 453
Nakajima, S., see M. Kikuchi 158 (1989) 79
Nakajima, S., M. Kikuchi, Y. Syono, T. Oku, D. Shindo, K. Hiraga, N. Kobayashi, H. Iwasaki and Y. Muto, Synthesis of bulk high T_c superconductors of $TlBa_2Ca_{n-1}Cu_nO_{2n+3}$ (n=2–5) 158 (1989) 471
Nakazawa, Y. and M. Ishikawa, Effects of oxygen stoichiometry and oxygen ordering in $Ba_2YCu_3O_y$ ($6 \leq y \leq 7$) 158 (1989) 381
Narlikar, A.V., see A.G. Vedeshwar 158 (1989) 385

Nazzal, A.I., see T.C. Huang 158 (1989) 148
Nepela, D.A. and J.M. McKay, Correlation of electronegativity and transition temperature in high-T_c superconductors 158 (1989) 65
Neumeier, J.J., see J.T. Markert 158 (1989) 178
Novak, P.Ya., see I.A. Leonidov 158 (1989) 287

Ogata, M. and H. Shiba, Characterization of the ground states of a simplified CuO_2 model in strong- and weak-coupling regions 158 (1989) 355
O'Handley, R.C., see R. Chatterjee 158 (1989) 485
Ohta, Y., see T. Tohyama 158 (1989) 525
Oku, T., see M. Kikuchi 158 (1989) 79
Oku, T., see S. Nakajima 158 (1989) 471
Olson, C., see B.W. Veal 158 (1989) 276
Ong, E.W., see B.L. Ramakrishna 158 (1989) 203
Oseroff, S.B., see M.F. Hundley 158 (1989) 102
Ota, S.B., R.A. Rose, B. Jayaram, P.A.J. de Groot and P.C. Lanchester, Signature of possible vortex lattice melting in magnetic hysteresis of high-T_c $Bi_2Sr_2CaCu_2O_{8+x}$, Physica C 157 (1989) 520. Erratum 158 (1989) 298
Ott, H.R., see A. Schillinger 158 (1989) 524

Pajączkowska, A., see A.M. Balagurov 158 (1989) 265
Pastor, J., see B. Kusz 158 (1989) 497
Paulikas, A.P., see B.W. Veal 158 (1989) 276
Paz-Pujalt, G., see D. Majumdar 158 (1989) 413
Peng, W., see B.D. Dunlap 158 (1989) 397
Peter, M., see D. Shaltiel 158 (1989) 424
Prasanna, T.R.S., see R. Chatterjee 158 (1989) 485
Presland, M.R., see J.L. Tallon 158 (1989) 247
Price, R.D., see J.T. Markert 158 (1989) 178

Radhakrishnan, T.S., see R. Baskaran 158 (1989) 406
Ramakrishna, B.L., J.C. Barry, Z. Iqbal, E.W. Ong, A. Bose and H. Eckhardt, Synthesis, properties and microstructure of the ~110 K Bi(Pb)–Sr–Ca–Cu oxide superconductor 158 (1989) 203
Ran, Q., see R. Jin 158 (1989) 255
Rao, C.N.R., see R. Nagarajan 158 (1989) 453
Rao, C.V.N., see A.G. Vedeshwar 158 (1989) 385
Raveau, B., see D. Bourgault 158 (1989) 511
Ravi Sekhar, Y., see D. Shaltiel 158 (1989) 424
Reichert, W., see J. Hauck 158 (1989) 197
Remschnig, K., P. Rogl, E. Gratz, H. Müller and P. Fischer, Neutron and low temperature X-ray powder diffraction and thermal expansion measurements on $La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_{4-\delta}$ 158 (1989) 458
Ren, J., D. Jung, M.-H. Whangbo, J.-M. Tarascon, Y. le Page, W.R. McKinnon and C.C. Torardi, Electronic structure study of the formal oxidation state of bismuth in copper-oxide superconductors containing Bi–O double layers 158 (1989) 501
Reyes-Gasga, J., see R. Herrera 158 (1989) 490
Richards, D.R., see J.F. Zasadzinski 158 (1989) 519

Rizzoli, C., see G. Calestani 158 (1989) 217
Rogl, P., see K. Remschnig 158 (1989) 458
Rose, R.A., see S.B. Ota 158 (1989) 298

Sadowski, W., see D. Shaltiel 158 (1989) 424
Satoh, T., see T. Manako 158 (1989) 143
Savvides, N., see D.M. Eagles 158 (1989) 258
Sawa, H., see F. Izumi 158 (1989) 440
Schabes-Retchkiman, P., see R. Herrera 158 (1989) 490
Scheel, H.J., see D. Shaltiel 158 (1989) 424
Schenck, A., see P. Birrer 158 (1989) 230
Schillinger, A., H.R. Ott and F. Hulliger, The influence of the oxygen concentration on T_c of $Tl_2Ba_2Ca_2Cu_3O_x$, Physica C 157 (1989) 144. Erratum 158 (1989) 524
Schirber, J.E., see C. Chaillout 158 (1989) 183
Seaman, C.L., see J.T. Markert 158 (1989) 178
Segre, C., see B.D. Dunlap 158 (1989) 397
Shahbuddin, Md., see A.G. Vedeshwar 158 (1989) 385
Shaltiel, D., H. Bill, P. Fischer, M. François, H. Hagemann, M. Peter, Y. Ravi Sekhar, W. Sadowski, H.J. Scheel, G. Triscone, E. Walker and K. Yvon, Single crystal ESR studies on tetragonal $YBa_2Cu_3O_{6+x}$ 158 (1989) 424
Sheng, L., see J.H. Wang 158 (1989) 507
Sheng, Y.J., see S.X. Dou 158 (1989) 97
Sheng, Z.Z., see J.H. Wang 158 (1989) 507
Shi, F., see R. Jin 158 (1989) 255
Shi, N., see R. Jin 158 (1989) 255
Shi, Z., see R. Jin 158 (1989) 255
Shiba, H., see M. Ogata 158 (1989) 355
Shimakawa, Y., see I. Takeuchi 158 (1989) 83
Shimakawa, Y., see T. Manako 158 (1989) 143
Shindo, D., see M. Kikuchi 158 (1989) 79
Shindo, D., see S. Nakajima 158 (1989) 471
Šimánek, E., Phase-slip mechanism in ultrasmall Josephson junctions with fluctuating coupling 158 (1989) 345
Simon, A., see F. Hentsch 158 (1989) 137
Sleight, A.W., see C.C. Torardi 158 (1989) 465
Sorrell, C.C., see S.X. Dou 158 (1989) 93
Statt, B.W., see Y.P. Lin 158 (1989) 241
Steeman, R.A., see D.M. de Leeuw 158 (1989) 391
Stupp, S.E. and D.M. Ginsberg, A review of the linear term in the low temperature specific heat of $YBa_2Cu_3O_{7-\delta}$ 158 (1989) 299
Subramanian, M.A., see C.C. Torardi 158 (1989) 465
Sun, S.F., see J.S. Xia 158 (1989) 477
Sun, Y.Y., see Y.Y. Xue 158 (1989) 211
Suzuki, M., see Y. Tajima 158 (1989) 237
Syono, Y., see M. Kikuchi 158 (1989) 79
Syono, Y., see S. Nakajima 158 (1989) 471
Szymczak, H., see A.M. Balagurov 158 (1989) 265

Tajima, Y., M. Hikita, M. Suzuki and Y. Hidaka, Pressure-effect study on high-T_c superconducting single crystal of 84 K Bi–Sr–Ca–Cu-O system 158 (1989) 237
Takagi, H., see F. Izumi 158 (1989) 433
Takano, M., see Z. Hiroi 158 (1989) 269
Takayama-Muromachi, E., see F. Izumi 158 (1989) 440
Takayama-Muromachi, E., Y. Uchida, M. Kobayashi and K. Kato, Oxygen deficiency and crystal chemistry of T″–AA′CuO_4 oxides 158 (1989) 449
Takeda, Y., see Z. Hiroi 158 (1989) 269
Takeuchi, I., J.S. Tsai, Y. Shimakawa, T. Manako and Y. Kubo, Energy gap of Tl–Ba–Ca–Cu–O compounds by tunneling 158 (1989) 83
Tallon, J.L., R.G. Buckley, P.W. Gilberd and M.R. Presland, Single-phase Pb-substituted $Bi_{2+y}Ca_{n-1}Sr_2Cu_nO_{2n+4+\delta}$, $n=2$ and 3: structure, T_c and effects of oxygen stoichiometry 158 (1989) 247
Tan, N.X., see S.X. Dou 158 (1989) 93
Tan, N.X., see S.X. Dou 158 (1989) 97
Tani, B., see M. Tetenbaum 158 (1989) 377
Tarascon, J.-M., see J. Ren 158 (1989) 501
Tetenbaum, M., B. Tani, B. Czech and M. Blander, Experimental evidence of a miscibility gap in the $YBa_2Cu_3O_x$ system 158 (1989) 377
Thompson, J.D., see M.F. Hundley 158 (1989) 102
Thompson, J.D., see S.-W. Cheong 158 (1989) 109
Tohyama, T., Y. Ohta and S. Maekawa, Cluster analyses of electronic states in electron-doped copper oxide superconductors 158 (1989) 525
Tokura, Y., see F. Izumi 158 (1989) 433
Torardi, C.C., M.A. Subramanian, J. Gopalakrishnan and A.W. Sleight, Alkali-metal substituted La_2CuO_4: structures of $La_{2-x}M_xCuO_4$ (M=Na, K; $x\sim0.2$) 158 (1989) 465
Torardi, C.C., see J. Ren 158 (1989) 501
Torrance, J.B., see T.C. Huang 158 (1989) 148
Tralshawala, N., see J.F. Zasadzinski 158 (1989) 519
Triscone, G., see D. Shaltiel 158 (1989) 424
Triscone, J.-M., M.G. Karkut, O. Brunner, L. Antognazza, M. Decroux and Ø. Fischer, In situ thin films of $YBa_2Cu_3O_7$ prepared by single target DC-magnetron sputtering 158 (1989) 293
Tsai, J.S., see I. Takeuchi 158 (1989) 83

Uchida, S., see F. Izumi 158 (1989) 433
Uchida, Y., see E. Takayama-Muromachi 158 (1989) 449
Umezawa, H., see O. Wong 158 (1989) 32

Valenti, A., see G. Calestani 158 (1989) 217
Vandervoort, K., see B.W. Veal 158 (1989) 276
Van Tendeloo, G., see H.W. Zandbergen 158 (1989) 155
Veal, B.W., J.Z. Liu, A.P. Paulikas, K. Vandervoort, H. Claus, J.C. Campuzano, C. Olson, A.-B. Yang, R. Liu, C. Gu, R.S. List, A.J. Arko and R. Bartlett, Photoelectron spectroscopy study of $YBa_2Cu_3O_x$ with varied oxygen stoichiometry: possible evidence for strong coupling superconductivity 158 (1989) 276
Vedeshwar, A.G., Md. Shahbuddin, P. Chand, H.D. Bist, S.K. Agarwal, V.N. Moorthy, C.V.N. Rao and A.V. Narlikar, EPR and low magnetic field microwave absorption in hafnium doped $YBa_2Cu_3O_y$ 158 (1989) 385

Vera, A., see G. Calestani 158 (1989) 217
Vijayaraghavan, R., see R. Nagarajan 158 (1989) 453

Walker, E., see D. Shaltiel 158 (1989) 424
Wang, J.H., Z.Z. Sheng, C. Dong, X. Fei, L. Sheng, A.M. Hermann and Z.X. Zhao, 90 K bulk superconductivity in the Tl–Ba–Ce–Cu–O system 158 (1989) 507
Wang, Z., see Y.P. Lin 158 (1989) 241
Weber, M., see P. Birrer 158 (1989) 230
Whangbo, M.-H. and D.B. Kang, Correlations between the superconducting transition temperatures and the in-plane copper–oxygen bond lengths in the copper-oxide superconductors 158 (1989) 371
Whangbo, M.-H., see J. Ren 158 (1989) 501
White, T.J., see P. Goodman 158 (1989) 173
Whitehead, J.P., see O. Wong 158 (1989) 32
Winzek, N., see F. Hentsch 158 (1989) 137
Wolf, S.A., see V.Z. Kresin 158 (1989) 76
Wong, K.W. and W.Y. Ching, The theory of simultaneous excitonic-superconductivity condensation 158 (1989) 1
Wong, K.W. and W.Y. Ching, Theory of simultaneous excitonic-superconductivity condensation II 158 (1989) 15
Wong, O., H. Umezawa and J.P. Whitehead, An analysis of the metamagnetic character of the mixed state in bct $ErRh_4B_4$ 158 (1989) 32
Wu, C.Y., see Y.Y. Xue 158 (1989) 211

Xia, J.S., S.F. Sun, T. Zhang, L.Z. Cao, Q.R. Zhang, J. Chen and Z.Y. Chen, The phenomena of negative magnetoresistance and hysteresis in $Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ systems 158 (1989) 477
Xue, Y.Y., P.H. Hor, Y.Y. Sun, Z.J. Huang, L. Gao, R.L. Meng, C.W. Chu, J.C. Ho and C.Y. Wu, The study and formation of the antiferromagnetic insulators $Bi_2(Gd_{1-x}Ca_x)_ySr_2Cu_2O_\delta$ 158 (1989) 211

Yacamán, M.J., see R. Herrera 158 (1989) 490
Yang, A.-B., see B.W. Veal 158 (1989) 276
Yang, H.C., see H.E. Horng 158 (1989) 480
Yao, B.C., see H.E. Horng 158 (1989) 480
Yvon, K., see D. Shaltiel 158 (1989) 424

Zandbergen, H.W., K. Kadowaki, M.J.V. Menken, A.A. Menovsky, G. van Tendeloo and S. Amelinckx, Electron microscopy on $Pb_2Sr_2Ca_{o.5}Y_{0.5}Cu_3O_{8+\delta}$ 158 (1989) 155
Zandbergen, H.W., see D.M. de Leeuw 158 (1989) 391
Zasadzinski, J.F., N. Tralshawala, D.G. Hinks, B. Dabrowski, A.W. Mitchell and D.R. Richards, Tunneling spectroscopy in superconducting $Ba_{1-x}K_xBiO_3$: direct evidence for phonon-mediated coupling 158 (1989) 519
Zhang, Q.R., see J.S. Xia 158 (1989) 477
Zhang, T., see J.S. Xia 158 (1989) 477
Zhao, Z.X., see J.H. Wang 158 (1989) 507
Zhou, S., see R. Jin 158 (1989) 255

ANALYTIC SUBJECT INDEX TO VOLUME 158

Anti-phase boundary
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 490

BCS theory
– for $YBa_2Cu_3O_{7-\delta}$ 299
Bi–Sr–Ca–Cu–O film
– prepared from metal trifluoroacetate precursors 225
Bond charge repulsion 326
Boson method for superconductors 32

Charge fluctuations 65
Cluster model in electron-doped superconductors 525
Correlation between T_c and Cu–O bond 371
Correlation of T_c and electronegativity 65
Crystal structure
– of $La_2CuO_{4.032}$ 183
– of $Tl_{2.70}Ba_{1.25}LnCu_2O_8$ 511
– of $YBa_4Cu_3O_{8.5+\delta}$ 391

Diffusion grown superconducting thick films
– of Bi(Pb)–Sr–Ca–Cu–O 93

EDX
– of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ (2223) 241
– of $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$ 155
Electrical resistivity
– of $YBa_4Cu_3O_{8.5+\delta}$ 391
Electron diffraction
– of $Nd_{1.845}Ce_{0.155}CuO_{4-y}$ 433
Electron doped superconductor
– $Nd_{1.845}Ce_{0.155}CuO_{4-y}$ 433
Electronegativity 65
Electron microscopy
– of $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$ 155
– of $YBa_2Cu_3O_x$ 269
Electronic structure
– of Bi-based superconductors 501
ESR
– of Bi–Pb–Sr–Ca–Cu–O 217
– of $YBa_2Cu_3O_{6+\delta}$ 424
– of $YBa_2Cu_3O_x$:Hf 385
Evaluation of electron–phonon coupling strength 76

Excitonic enhancement model 1, 15
Excitonic superconductivity 1, 15

Formation
– of $Bi_2(Gd_{1-x}Ca_x)_ySr_2Cu_2O_7$ 211

Gapless superconductivity
– in $Ba_{1-x}K_xBiO_3$ 519
Ground state of 2-D CuO_2 planes 355

Hole doped high T_c superconductors
– $Eu_{1.85}Ce_{0.15}CuO_{4-\delta}$ 178
– $Nd_{2-x}Ce_xCuO_{4-\delta}$ 178
– $Pr_{1.85}Th_{0.15}CuO_{4-\delta}$ 178
Hole superconductivity 326
HREM
– of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ 203
– of $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$ 155
– of Pb–Sr–Ca–Y–Cu–O system 173
HREM of Tl 2212 511

Internal friction
– in $ErBa_2Cu_3O_x$ 497

Josephson vortices 69

Lone pair of Tl 511
Low temperature X-ray diffraction
– of $La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_{4-\delta}$ 458

Mössbauer measurements
– of $YBa_2Cu_{3-x}Fe_xO_{7+\delta}$ 397
Magnetism
– of La_2CuO_4 192
Magnetoresistance
– of $Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ 477
Magnetic susceptibility
– of Nd_2CuO_4 102
– of Pr_2CuO_4 102
Metamagnetic character of bct $ErRh_4B_4$ 32
Microstructures
– of $YBa_2Cu_3O_x$ 269
Microwave absorption
– of $YBa_2Cu_3O_x$:Hf 385
Miscibility gap
– of $YBa_2Cu_3O_x$ 377
Mixed valence of Tl 2212 511
Muon spin resonance
– of $Bi_2(Sr,Ca)_2CuO_{8-\delta}$ 230

Neutron diffraction
– of $La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_{4-\delta}$ 458
– of $La_2CuO_{4.032}$ 183
– of $La_{2-x}M_xCuO_4$ 465
– of $Nd_{1.845}Ce_{0.155}CuO_{4-y}$ 433
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{7+\delta}$ 265
– of $YBa_2Cu_{3-x}Fe_xO_{7+\delta}$ 397
NMR
– of $Tl_2Ba_2CaCu_2O_8$ (2212) 137
Nonlinear magnetic flux response
– of $YBa_2Cu_3O_{7-\delta}$ 366

Oxygen deficiency
– of $(La,Ln,Sr)_2CuO_{4-\delta}$ 449
Oxygen ordering
– of $YBa_2Cu_3O_4$ 381
Oxygen stoichiometry
– of $Bi_{2+y}Ca_{n-1}Sr_2Cu_nO_{2n+4+\delta}$ 247
– of $LnBa_2Cu_3O_{7-\delta}$ 453
– of $YBa_2Cu_3O_4$ 381

Penetration depth
– of $Bi_2(Sr,Ca)_2CuO_{8-\delta}$ 230
Percolation superconductivity
– in $Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 485
Phase diagrams
– of Gd_2O_3–BaO–CuO 485
Phase relations
– of $La_4BaCu_5O_x$ 197
– of $La_4Ba_ySr_{1-y}Cu_5O_x$ 197
– of $(La,Sr)_8Cu_8O_{20}$ 197
Phase study
– of $Tm_2Ba_2O_5$ 127
– of $Tm_2Ba_4O_7$ 127
– of Tm_2BaCuO_5 127
– of $TmBa_2Cu_3O_{7-\delta}$ 127
Phonons
– in $Ba_{0.6}K_{0.4}BiO_3$ 153
Photoelectron spectroscopy
– of $YBa_2Cu_3O_x$ 276
Polaron theory
– of high T_c superconductors 337
Preparation
– of $Tl_2Ba_2Ca_3Cu_4O_{12}$ 79
Properties
– of $Ca_2CuO_2Cl_2$ 109
– of La_2CoO_4 109

- of La_2NiO_4 109
- of La_2SrCuO_6 109
- of $LaCuO_4$ 109
- of RE_2CuO_4 (RE=La, Pr, Nd, Sm, Eu, Gd) 109
- of $Sr_2CuO_2Cl_2(Br_2)$ 109
- of $YCaCrO_4$ 109

Proximity effect
- in $YBa_2Cu_3O_{7-x}$ 406

Resistivity
- of $Eu_{1.85}Co_{0.15}CuO_{4-\delta}$ 178
- of $GdBa_2Cu_3O_{7-\delta}$ 480
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 178
- of $Pr_{1.85}Th_{0.15}CuO_{x-\delta}$ 178
- of $YBa_2Cu_3O_4$ 381
- of $YBa_2Cu_3O_x$:Hf 385

Resistivity under high pressure
- of Bi–Sr–Ca–Cu–O 237
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 178

Sb substitution
- in Bi–Pb–Sr–Ca–Cu–O 97

Single band Hubbard model 311

Single crystals
- of $(RE)_2CuO_4$ (RE=Pr, Nd, Sm) 102
- of Sm_2CuO_4 102

Specific heat
- of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ 255
- of $Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$ 178
- of Nd_2CuO_4 102
- of $Nd_2CuO_{4-\delta}$ 178
- of Pr_2CuO_4 102
- of Sm_2CuO_4 102
- of $YBa_2Cu_3O_{7-\delta}$ 299

Structure
- of $La_{2-x}M_xCuO_4$ 465
- of $Ln_{2-x}Ce_xCuO_{4-\delta}$ (Ln=Nd, Gd) 148
- of $(Nd,Sr,Ce)_2CuO_{4-y}$ 440

Superconductivity
- of $Tl_{2.2}Ba_2Ce_xCu_3O_y$ 507
- of $Tl_2Ba_2Cu_2O_{6.5}$ 507
- of $Tl_2Ba_2Cu_4O_6$ 507
- of $TlBa_{1+x}La_{1-x}CuO_5$ (1201) 143

Superstructure
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 490

Susceptibility
- of $YBa_2Cu_3O_4$ 381

Synthesis
- of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ 203
- of $Ln_{2-x}Ce_xCuO_{4-\delta}$ (Ln=Nd, Gd) 148
- of $TlBa_2Ca_{n-1}Cu_nO_{2n+3}$ 471

TGA
- of $GdBa_2Cu_3O_{7-\delta}$ 480

Theory of multilayer superconductors 88

Thermal expansion
- of $La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_{4-\delta}$ 458

Thin film (single target DC magnetron sputtering)
- of $YBa_2Cu_3O_7$ 293

Transport properties
- of $YBa_2Cu_3O_{7-\delta}$ 287

Tunneling energy gap
- of $Tl_2Ba_2Ca_1Cu_3O_8$ 83
- of $Tl_2Ba_2Ca_2Cu_3O_{10}$ 83

Tunneling spectroscopy
- in $Ba_{1-x}K_xBiO_3$ 519

Two band model
- for $YBa_2Cu_3O_{7-\delta}$ 258

Ultrasmall Josephson juctions 345

Variable hopping 391

XPS
- of $YBa_2Cu_3O_{7-\delta}$ 281
- of $YBa_2Cu_3O_{7-\delta}$ 413

YBaCuO film 419

MATERIALS INDEX TO VOLUME 158

$Ba_{0.6}K_{0.4}BiO_3$
– phonons 153
$Ba_{1-x}K_xBiO_3$
– gap-less superconductivity 519
– tunneling spectroscopy 519
$Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$
– magnetoresistance 477
$Bi_{2+y}Ca_{n-1}Sr_2Cu_nO_{2n+4+\delta}$
– oxygen stoichiometry 247
$Bi_2(Gd_{1-x}Ca_x)_ySr_2Cu_2O_7$
– formation 211
$Bi_2Sr_2CaCu_2O_{8+\delta}$
– anti-phase boundary 490
– superstructure 490
$Bi_2(Sr,Ca)_2CuO_{8-\delta}$
– muon spin resonance 230
– penetration depth 230
Bi-based superconductors
– electronic structure 501
$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$
– EDX 241
– HREM 203
– specific heat 255
– synthesis 203
Bi–Pb–Sr–Ca–Cu–O
– ESR 217

$Ca_2CuO_2Cl_2$
– properties 109

$ErBa_2Cu_3O_x$
– internal friction 497
$Eu_{1.85}Co_{0.15}CuO_{4-\delta}$
– resistivity 178

$Gd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$
– percolation superconductivity 485
Gd_2O_3–BaO–CuO
– phase diagrams 485
$GdBa_2Cu_3O_{7-\delta}$
– resistivity 480
– TGA 480

$La_{1.85}Sr_{0.15}Cu_{1-x}Zn_xO_{4-\delta}$
– low temperature X-ray diffraction 458
– neutron diffraction 458
– thermal expansion 458
La_2CoO_4
– properties 109
La_2CuO_4
– magnetism 192
$La_2CuO_{4.032}$
– crystal structure 183
– neutron diffraction 183
La_2NiO_4
– properties 109
La_2SrCuO_6
– properties 109
$La_{2-x}M_xCuO_4$
– neutron diffraction 465
– structure 465
$La_4BaCu_5O_x$
– phase relations 197
$La_4Ba_ySr_{1-y}Cu_5O_x$
– phase relations 197
$LaCuO_4$
– properties 109
$(La,Ln,Sr)_2CuO_{4-\delta}$
– oxygen deficiency 449
$(La,Sr)_8Cu_8O_{20}$
– phase relations 917
$LnBa_2Cu_3O_{7-\delta}$
– oxygen stoichiometry 453
$Lu_{2-x}Ce_xCuO_{4-\delta}$ (Lu=Nd, Gd)
– structure 148
– synthesis 148

$Nd_{1.845}Ce_{0.155}CuO_{4-y}$
– electron diffraction 433
– electron doped superconductor 433
– neutron diffraction 433
$Nd_{1.85}Ce_{0.15}CuO_{4-\delta}$
– resistivity
– specific heat 178
Nd_2CuO_4
– magnetic susceptibility 102
– specific heat 102
$Nd_2CuO_{4-\delta}$
– specific heat 178
$(Nd,Sr,Ce)_2CuO_{4-y}$
– structure 440

$Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$
– EDX 155
– electron microscopy 155
– HREM 155
$Pr_{1.85}Th_{0.15}CuO_{x-\delta}$
– resistivity 178
Pr_2CuO_4
– magnetic susceptibility 102
– specific heat 102

RE_2CuO_4 (RE=La, Pr, Nd, Sm, Eu, Gd)
– properties 109

Sm_2CuO_4
– single crystals 102
– specific heat 102
$Sr_2CuO_2Cl_2(Br_2)$
– properties 109

$Tl_{2.2}Ba_2Ce_xCu_3O_y$
– superconductivity 507
$Tl_{2.70}Ba_{1.25}LnCu_2O_8$
– crystal structure 511
$Tl_2Ba_2Ca_1Cu_3O_8$
– tunneling energy gap 83
$Tl_2Ba_2Ca_2Cu_3O_{10}$
– tunneling energy gap 83
$Tl_2Ba_2Ca_3Cu_4O_{12}$
– preparation 79
$Tl_2Ba_2CaCu_2O_8$ (2212)
– NMR 137
$Tl_2Ba_2Cu_2O_{6.5}$
– superconductivity 507
$Tl_2Ba_2Cu_4O_6$
– superconductivity 507
$TlBa_{1+x}La_{1-x}CuO_5$ (1201)
– superconductivity 143
$TlBa_2Ca_{n-1}Cu_nO_{2n+3}$
– synthesis 471
$Tm_2Ba_2O_5$
– phase study 127
$Tm_2Ba_4O_7$
– phase study 127
Tm_2BaCuO_5
– phase study 127
$TmBa_2Cu_3O_{7-\delta}$
– phase study 127

$YBa_2(Cu_{1-x}Fe_x)_3O_{7+\delta}$
– neutron diffraction 265
$YBa_2Cu_3O_4$
– oxygen ordering 381
– oxygen stoichiometry 381
– resistivity 381
$YBa_2Cu_3O_{4381}$

– susceptibility 381
$YBa_2Cu_3O_{6+\delta}$
– ESR 424
$YBa_2Cu_3O_7$
– thin film 293
$YBa_2Cu_3O_{7-\delta}$
– transport properties 287
– two band model 258
– XPS 281
$YBa_2Cu_3O_{7-\delta}$
– BCS theory 299
– nonlinear magnetic flux response 366
– specific heat 299
– XPS 413
$YBa_2Cu_3O_{7-x}$
– proximity effect 406
$YBa_2Cu_3O_x$
– electron microscopy 269
– microstructures 269
– miscibility gap 377
– photoelectron spectroscopy 276
$YBa_2Cu_3O_x$:Hf
– ESR 385
– microwave absorption 385
– resistivity 385
$YBa_2Cu_{3-x}Fe_xO_{7+\delta}$
– Mössbauer measurements 397
– neutron diffraction 397
$YBa_4Cu_3O_{8.5+\delta}$
– crystal structure 391
– electrical resistivity 391
$YCaCrO_4$
– properties 109